

MATERIAL SAFETY DATA SHEET**DURACO DUST SPRAY****1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Duraco Dust Spray
Manufacturer: Dura Wax Company, Inc.
4101 Albany Street
McHenry, Illinois 60050

Emergency: Call INFOTRAC (24 hrs) 1-800-535-5053
Dura Wax Telephone Number: 1-800-435-5705
M.S.D.S. Effective Date: February 21, 2002
Supersedes Date: May 15, 1998

2. HAZARDOUS INGREDIENTS AND IDENTITY INFORMATION

<u>HAZARDOUS COMPONENTS</u>	<u>CAS NUMBER</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Aliphatic Petroleum Distillates	64741-44-2	99-100	5 mg/m ³	5 mg/m ³

3. REGULATORY INFORMATION

SARA TITLE III - Toxic Substances (313)

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Weight %</u>
None	NA	NA

4. PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point (°F):	390 - 520	Specific Gravity (Water = 1):	0.816 – 0.840
Vapor Pressure (mm Hg):	< 0.01	Percent Volatile (by volume):	NA
Vapor Density (Air = 1):	> 1	Evaporation Rate (Butyl Acetate = 1):	< 0.01
Appearance:	Clear Liquid	Solubility in Water (68°F):	NA
Odor:	Oil	pH, 5% Solution:	NA

5. FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 240 – 275 °F (COC)
Flammable Limits: Lower Explosion Level - 0.9%
Upper Explosion Level - ND

Extinguishing Media: Regular foam, water fog, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: NIOSH approved positive pressure self-contained breathing apparatus and full clothing.
HMIS Codes: Health - 1
Flammability - 2
Reactivity - 0
Personal Protection – B

Unusual Fire and Explosion Hazards: Never use welding or cutting torch on or near drum because product can ignite explosively.

6. REACTIVITY DATA

Stability:	Stable	Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.	Incompatibility:	Strong oxidizing agents.

7. HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation ? Yes	Skin ? Yes	Ingestion ? No
Health Hazards (Acute and Chronic):	May cause mild eye and skin irritation. May cause mild irritation to nose, throat and respiratory tract.		
Carcinogenicity:	NTP ? No	IARC Monographs ? No	OSHA Regulated ? No
Signs and Symptoms of Exposure:	Contact with eyes may cause stinging, tearing, and redness. Prolonged or repeated skin contact may cause dryness, redness, and burning. Repeated exposure to vapors or mist may cause irritation to nose, throat and respiratory tract.		
Medical Conditions Aggravated by Exposure:	Pre-existing lung disorders, such as asthma-like conditions, may be aggravated by exposure to vapors or mists.		
Emergency and First Aid Procedures:			
INHALATION:	Remove to fresh air. If irritation persists, seek medical attention.		
EYES:	Flush with water for 15 minutes. Seek medical attention, if irritation persists.		
SKIN:	Wash with soap and water. If irritation persists, seek medical attention.		
INGESTION:	If swallowed, do not induce vomiting unless directed by medical personnel. Get medical help. Never give anything by mouth to an unconscious person.		

8. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled:	Eliminate all ignition sources. Contain spill with inert absorbent material. Transfer liquid to container for recovery and disposal.
Waste Disposal Method:	Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
Precautions to Be Taken in Handling and Storage:	Store in cool, dry place. Keep containers closed when not in use. Do not store near any possible sources of ignition.
Other Precautions:	KEEP OUT OF THE REACH OF CHILDREN.

9. CONTROL MEASURES

Protective Gloves:	Chemical resistant recommended.
Eye Protection:	Chemical splash goggles.
Other Protective Clothing or Equipment:	NA
Respiratory Protection:	Use approved respirators if airborne concentrations exceed exposure limits.
Ventilation:	Local Exhaust – Only necessary when general ventilation is not available. Mechanical (General) – Use good general ventilation to prevent over exposure. Special / Other - NA
Work & Hygienic Practices:	Normal.

10. ADDITIONAL INFORMATION

The information contained herein is believed to be accurate, but not warranted.

NA = Not Applicable

ND = Not Determined

NE = Not Established

UNK = Unknown